

Date Required: _____ Ship To: Home Office Other: _____

PATIENT INFORMATION

Patient Name: _____
 Address: _____
 City, State, Zip: _____
 Home Phone: _____
 Cell Phone: _____
 Alternate Phone: _____
 Date of Birth: _____

PRESCRIBER INFORMATION

Prescriber Name: _____
 Address: _____
 City, State, Zip: _____
 Phone: _____
 Fax: _____
 DEA #: _____ NPI #: _____
 Contact Person: _____

INSURANCE INFORMATION (Please attach the front and back of insurance and prescription drug card.)

Primary Insurance: _____ ID: _____ Group: _____
 Secondary Insurance: _____ ID: _____ Group: _____
 Prescription Card: _____ ID: _____ BIN: _____ PCN: _____

To better serve your patient and facilitate insurance authorization, please complete the pertinent sections:

<p>Primary Diagnosis:</p> <p><input type="checkbox"/> G35 Primary Progressive Multiple Sclerosis <input type="checkbox"/> G35 Relapsing Remitting Multiple Sclerosis <input type="checkbox"/> Other ICD-10: _____ Number of Relapses the past year: _____ Date of Diagnosis: _____</p>	<p style="text-align: center;">DIAGNOSIS/CLINICAL INFORMATION</p> <p>Therapy: <input type="checkbox"/> New <input type="checkbox"/> Reauthorization <input type="checkbox"/> Restart Date of last infusion with Ocrevus®: _____ Next dose due: _____ Patient Weight: _____ <input type="checkbox"/> kg <input type="checkbox"/> lbs Height: _____ <input type="checkbox"/> cm <input type="checkbox"/> in Allergies: _____ Concomitant Medications: _____ Comorbidities: _____ Hepatitis B virus screening (HBsAg and anti-HBV test) required: <input type="checkbox"/> Negative <input type="checkbox"/> Positive (Contraindicated)</p>
---	---

PRESCRIPTION INFORMATION

Medication:	Dose/Strength:	Directions:	Quantity/Refills:
<input type="checkbox"/> Ocrevus® (ocrelizumab) Initial Dose (two infusions)	300 mg per 10 mL SDV Vials are diluted in NS to a final concentration of 1.2 mg per mL	Infusion 1: 300 mg in 250 mL of 0.9% NS. Infusion 2 (2 weeks later): 300 mg in 250 mL of 0.9% NS. Start infusion at 30 mL per hour. Increase by 30 mL per hour every 30 minutes. Maximum: 180 mL per hour. Duration 2.5 hours or longer.	Dispense: <input type="checkbox"/> 1 month supply No refills
<input type="checkbox"/> Ocrevus® (ocrelizumab) Subsequent doses (one infusion)	300 mg per 10 mL SDV Vials are diluted in NS to a final concentration of 1.2 mg per mL	Every 6 months infuse 600 mg in 500 mL of 0.9% NS. Start infusion at 40 mL per hour. Increase by 40 mL per hour every 30 minutes. Maximum: 200 mL per hour. Duration 3.5 hours or longer.	Dispense: <input type="checkbox"/> 1 month supply Refills: <input type="checkbox"/> 1 <input type="checkbox"/> 0

PREMEDICATION ORDERS/OTHER MEDICATIONS

Pre-Medications & Other Medications

Acetaminophen 650 mg PO 30 min prior to infusion Infusion supplies as per protocol
 Diphenhydramine 50 mg PO 30 min prior to infusion Anaphylaxis Kit orders as per protocol
 Methylprednisolone 100 mg IV 30 min prior to infusion
 Other: _____

Labs to be drawn: _____ Frequency: _____

STAMP SIGNATURE NOT ALLOWED

PHYSICIAN SIGNATURE REQUIRED

X _____
 DISPENSE AS WRITTEN (Date)

The information contained in this facsimile may be confidential and is intended solely for the use of the named recipient(s). Access, copying or re-use of the facsimile or any information contained therein by any other person is not authorized. If you are not the intended recipient, please notify us immediately by faxing back to the originator.