

 Please cut along the dotted lines before submitting to a pharmacy.

Date Required: _____ Ship To: Home Office Other: _____

PATIENT INFORMATION

Patient Name: _____
 Address: _____
 City, State, Zip: _____
 Home Phone: _____
 Cell Phone: _____
 Date of Birth: _____ Gender: _____
 Emergency Contact: _____ Phone: _____

PRESCRIBER INFORMATION

Prescriber Name: _____
 Address: _____
 City, State, Zip: _____
 Phone: _____
 Fax: _____
 DEA #: _____ NPI #: _____
 Contact Person: _____

INSURANCE INFORMATION (Please attach the front and back of insurance and prescription drug card.)

Primary Insurance: _____ ID: _____ Group: _____
 Secondary Insurance: _____ ID: _____ Group: _____
 Prescription Card ID: _____ BIN: _____ PCN: _____ Group: _____

To better serve your patient and facilitate insurance authorization, please complete the pertinent sections:

DIAGNOSIS

D66 Hemophilia A (Factor VIII deficiency)
 D67 Hemophilia B (Factor IX deficiency)
 D68.1 Hemophilia C (Factor XI deficiency)
 D68.2 Hereditary Deficiency of other clotting factors
 D68.0 von Willebrand Disease
 D69.9 Hemorrhagic Condition, Unspecified
 D68.4 Acquired Coagulation Factor Deficiency
 D68.8 Other Specified Coagulation Defects
 Other: _____

PATIENT EVALUATION

Therapy: New Reauthorization Restart
 Patient Weight: _____ kg lbs Height: _____ cm in
 Allergies: _____
 Circulating Factor: _____ % Inhibitor: No Historical Current
 Historical Response: High Low Date: _____
 Concomitant Medications: _____
 Factor Deficiency: Severe (<1%) Moderate (1-5%) Mild (>5%)
 Line Access: Port PIV Butterfly Other: _____
 Injection Training/Home Health RN visit is necessary: Yes No
 Site of Care: Home MD Office Other: _____

PRESCRIPTION INFORMATION

Medication:	Dose/Strength:	Directions:	Quantity:	Refills:
Factor VIII (IV): Advate® Adynovate® Afstyla® Alphanate® SDHT Elocatate® Jivi® Helixate® FS Hemofil M® Humate P® Kogenate® FS Kovaltry® NovoEight® Nuwiq®	Recombinate® Wilate® Xyntha® Factor IX (IV): AlphaNine® SDVF Alprolix® Benefix® IDELVION® Ixinity® Rixubis® Inhibitor Therapies: Feiba® VH NovoSeven®	Prophylaxis: Infuse _____ units (+/- _____%) slow iv-push every _____ Breakthrough Bleed: Infuse _____ units (+/- _____%) slow iv-push every _____ hours days for a total of _____ doses as needed for bleeding episodes Minor: _____ IU every _____ hour day PRN Major: _____ IU every _____ hour day PRN Other: _____		
Subcutaneous: Hemlibra®		Inject _____mg SUBQ every _____ weeks		
Other:				

PREMEDICATION ORDERS/OTHER MEDICATIONS

Flush Protocol:
 NaCl 0.9% 5ml Heparin 10 units per ml Amicar Tablet / Syrup Quantity: _____ Refill: _____ EMLA® cream
 NaCl 0.9% 10ml Heparin 100 units per ml Directions: _____ LMX-4® cream

STAMP SIGNATURE NOT ALLOWED

PHYSICIAN SIGNATURE REQUIRED

Prescriber Signature: _____ Date: _____